## **Practice Problems**

These problems are not to be handed in, but try them first; do as many of them as you need until they're easy, or make up more along the same lines if you need more practice.

- 1 Differentiate the following expressions.
- a.  $3^{x^2+1}$
- b.  $\ln(xy + 2)$
- c.  $(x+2)^{3x}$
- d.  $\log_5(p+q)$
- e.  $5x^2e^{2x-7}$
- f.  $\log_x (x+1)$
- 2 Find the following limits.
- a.  $\lim_{x \to 0^+} (x^x)$
- b.  $\lim_{x \to \infty} \left(1 + \frac{1}{x}\right)^x$

## **Due Problems**

These problems are due May 8 Tuesday.

- 1 Differentiate (find the differentials of) the following expressions. (Show at least one intermediate step for each.)
- a.  $5xe^{3x^2}$
- b.  $\log_2 (4x 9y)$
- 2 Find the limit

$$\lim_{x \to 1} x^{\frac{1}{1-x}}.$$

Show at least what numerical calculation (or calculation with infinities) you make. If you use L'Hôpital's Rule, then also show the relevant differentials (or derivatives).

## Answers to Practice Problems

Here are the answers to the Practice Problems from the beginning of the assignment.

1

a. I can use the rule for a constant base if I remember it:

$$d(3^{x^2+1}) = 3^{x^2+1} \ln 3 d(x^2+1) = 3^{x^2+1} \ln 3 (2x dx) = 2x3^{x^2+1} \ln 3 dx.$$

Or I can turn everything into expressions with base e, using a simpler differentiation rule but more algebra:

$$d(3^{x^2+1}) = d(e^{(x^2+1)\ln 3}) = e^{(x^2+1)\ln 3} d((x^2+1)\ln 3)$$
$$= 3^{x^2+1}\ln 3 d(x^2+1) = 3^{x^2+1}\ln 3 (2x dx) = 2x3^{x^2+1}\ln 3 dx.$$

b. Since the base is already e, there's really only one way to do this:

$$d(\ln(xy+2)) = \frac{d(xy+2)}{xy+2} = \frac{y dx + x dy}{xy+2}.$$

c. Since the base and exponent are both variable, I'll turn everything into expressions with base e:

$$d((x+2)^{3x}) = d(e^{3x \ln(x+2)}) = e^{3x \ln(x+2)} d(3x \ln(x+2))$$

$$= (x+2)^{3x} (3 \ln(x+2) dx + 3x d(\ln(x+2)))$$

$$= (x+2)^{3x} (3 \ln(x+2) dx + 3x \frac{d(x+2)}{x+2})$$

$$= (x+2)^{3x} (3 \ln(x+2) dx + 3x \frac{dx}{x+2}).$$

(It would also be possible to do this with one complicated rule.)

d. As in part (a), I can use the rule for a constant base if I remember it:

$$d(\log_5(p+q)) = \frac{d(p+q)}{(p+q)\ln 5} = \frac{dp + dq}{(p+q)\ln 5}.$$

Or I can turn everything into expressions with base e, using a simpler differentiation rule but more algebra:

$$d(\log_5(p+q)) = d\left(\frac{\ln(p+q)}{\ln 5}\right) = \frac{d(\ln(p+q))}{\ln 5} = \frac{\frac{d(p+q)}{p+q}}{\ln 5} = \frac{dp + dq}{(p+q)\ln 5}.$$

e. I use the Product Rule first, then tackle the exponential part of the expression:

$$d(5x^{2}e^{2x-7}) = e^{2x-7} d(5x^{2}) + 5x^{2} d(e^{2x-7}) = e^{2x-7} (10x dx) + 5x^{2}e^{2x-7} d(2x-7)$$
$$= 10xe^{2x-7} dx + 5x^{2}e^{2x-7} (2 dx) = 10xe^{2x-7} dx + 10x^{2}e^{2x-7} dx.$$

Page 2 of 3

f. As in part (c), I'll turn everything into expressions with base e:

$$d\left(\log_{x}(x+1)\right) = d\left(\frac{\ln(x+1)}{\ln x}\right) = \frac{\ln x \, d(\ln(x+1)) - \ln(x+1) \, d(\ln x)}{\left(\ln x\right)^{2}}$$
$$= \frac{\ln x \, \frac{d(x+1)}{x+1} - \ln(x+1) \, \frac{dx}{x}}{\left(\ln x\right)^{2}} = \frac{\ln x \, \frac{dx}{x+1} - \ln(x+1) \, \frac{dx}{x}}{\left(\ln x\right)^{2}}.$$

(It would also be possible to do this with one complicated rule.)

 $\mathbf{2}$ 

a. First, I'll try plugging in the limiting value:

$$\lim_{x \to 0^+} (x^x) = 0^0,$$

but this is indeterminate. So I'll turn everything into expressions with base e and see where that gets me:

$$\lim_{x \to 0^+} (x^x) = \lim_{x \to 0^+} e^{x \ln x} = \lim_{x \to 0^+} e^{\frac{\ln x}{1/x}} = e^{\frac{-\infty}{\infty}}.$$

This is a case for L'Hôpital in the exponent:

$$\lim_{x \to 0^+} (x^x) = \lim_{x \to 0^+} e^{\frac{\ln x}{1/x}} = \lim_{x \to 0^+} e^{\frac{d(\ln x)}{d(1/x)}} = \lim_{x \to 0^+} e^{\frac{1/x}{-1/x^2}} = \lim_{x \to 0^+} e^{-x} = e^{-0} = e^0 = 1.$$

b. First, I'll try plugging in the limiting value:

$$\lim_{x \to \infty} \left( 1 + \frac{1}{x} \right)^x = \left( 1 + \frac{1}{\infty} \right)^{\infty} = (1 + 0)^{\infty} = 1^{\infty},$$

but this is indeterminate. So I'll turn everything into expressions with base e and see where that gets me:

$$\lim_{x \to \infty} \left( 1 + \frac{1}{x} \right)^x = \lim_{x \to \infty} e^{x \ln \left( 1 + \frac{1}{x} \right)} = \lim_{x \to \infty} e^{\frac{\ln \left( 1 + \frac{1}{x} \right)}{1/x}} = e^{\frac{0}{0}}.$$

This is another case for L'Hôpital in the exponent:

$$\lim_{x \to \infty} \left( 1 + \frac{1}{x} \right)^x = \lim_{x \to \infty} e^{\frac{\ln{(1+1/x)}}{1/x}} = \lim_{x \to \infty} e^{\frac{d\left(\ln{(1+1/x)}\right)}{d(1/x)}} = \lim_{x \to \infty} e^{\frac{\frac{d(1+1/x)}{(1+1/x)}}{-\frac{dx}{x^2}}}$$

$$= \lim_{x \to \infty} e^{\frac{-1/x^2}{(1+1/x)}} = \lim_{x \to \infty} e^{\frac{1}{(1+1/x)}} = e^{\frac{1}{(1+1/x)}} = e^{\frac{1}{(1+1/x)}} = e^{1} = e.$$